




E500



Straight Flute Hand Taps, Metric, ISO Standard

A versatile tool, suitable for hand and machine tapping, with a straight flute design for both through and blind holes. As a hand tap set of three N06 or two N07 with different chamfer length, each producing a full thread. Or as a set N08 with three serial taps to be used in sequence to create the full thread.



	ISO 529	6H
	1.5xD	HSS
		Bright

Workpiece material group suitability and starting values for cutting speed (m/min).

P1.1 ■ 7	P1.2 ■ 7	P1.3 ■ 8	P2.1 ■ 6	P2.2 ■ 5	P2.3 ▣ 4	P3.1 ■ 4	P3.2 ▣ 4	P4.1 ▣ 3	P4.2 ▣ 2	K1.1 ▣ 12	K1.2 ▣ 9	K1.3 ▣ 7	K2.1 ▣ 12
K2.2 ▣ 10	K3.1 ▣ 11	K3.2 ▣ 8	K4.1 ▣ 10	K4.2 ▣ 8	K5.1 ▣ 11	K5.2 ▣ 9	N1.3 ▣ 8	N2.1 ▣ 11	N2.2 ▣ 10	N2.3 ▣ 7	N3.1 ▣ 17	N3.2 ▣ 10	N3.3 ▣ 5
N4.2 ▣ 5	N4.3 ▣ 3												

Products from this series are also available in sets with drills or dies. Please see L115, L000 or L120.

Product	TDZ	TP	OAL	THL	DCON MS	WSC	LSC	NOF	PHD	LU
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		[mm]	[mm]
E500M1N01 ¹⁾	1	0.25	38.0	4.5	2.50	2.00	4	2	0.75	4.50
E500M1N02 ¹⁾	1	0.25	38.0	4.5	2.50	2.00	4	2	0.75	4.50
E500M1N03 ¹⁾	1	0.25	38.0	4.5	2.50	2.00	4	2	0.75	4.50
E500M1.2N01 ¹⁾	1.2	0.25	38.0	4.5	2.50	2.00	4	2	0.95	4.50
E500M1.2N02 ¹⁾	1.2	0.25	38.0	4.5	2.50	2.00	4	2	0.95	4.50
E500M1.2N03 ¹⁾	1.2	0.25	38.0	4.5	2.50	2.00	4	2	0.95	4.50
E500M1.4N01 ¹⁾	1.4	0.30	40.0	6	2.50	2.00	4	2	1.10	6.00
E500M1.4N02 ¹⁾	1.4	0.30	40.0	6	2.50	2.00	4	2	1.10	6.00
E500M1.4N03 ¹⁾	1.4	0.30	40.0	6	2.50	2.00	4	2	1.10	6.00
E500M1.6N01	1.6	0.35	41.0	8	2.50	2.00	4	2	1.25	8.00
E500M1.6N02	1.6	0.35	41.0	8	2.50	2.00	4	2	1.25	8.00
E500M1.6N03	1.6	0.35	41.0	8	2.50	2.00	4	2	1.25	8.00
E500M1.6N06	1.6	0.35	41.0	8	2.50	2.00	4	2	1.25	8.00
E500M1.7N01	1.7	0.35	41.0	8	2.50	2.00	4	2	1.35	8.00
E500M1.7N02	1.7	0.35	41.0	8	2.50	2.00	4	2	1.35	8.00
E500M1.7N03	1.7	0.35	41.0	8	2.50	2.00	4	2	1.35	8.00
E500M1.7N06	1.7	0.35	41.0	8	2.50	2.00	4	2	1.35	8.00
E500M1.7N08	1.7	0.35	41.0	8	2.50	2.00	4	2	1.35	8.00
E500M1.8N01	1.8	0.35	41.0	8	2.50	2.00	4	2	1.45	8.00
E500M1.8N02	1.8	0.35	41.0	8	2.50	2.00	4	2	1.45	8.00
E500M1.8N03	1.8	0.35	41.0	8	2.50	2.00	4	2	1.45	8.00
E500M2N01	2	0.40	41.0	8	2.50	2.00	4	3	1.60	8.00
E500M2N02	2	0.40	41.0	8	2.50	2.00	4	3	1.60	8.00
E500M2N03	2	0.40	41.0	8	2.50	2.00	4	3	1.60	8.00
E500M2N06	2	0.40	41.0	8	2.50	2.00	4	3	1.60	8.00
E500M2N08	2	0.40	41.0	8	2.50	2.00	4	3	1.60	8.00
E500M2X.45N01	2	0.45	41.0	8	2.50	2.00	4	3	1.55	8.00



Product	TDZ	TP	OAL	THL	DCON MS	WSC	LSC	NOF	PHD	LU
E500M2X.45N02	2	0.45	41.0	8	2.50	2.00	4	3	1.55	8.00
E500M2X.45N03	2	0.45	41.0	8	2.50	2.00	4	3	1.55	8.00
E500M2.2N01	2.2	0.45	44.5	9.5	2.80	2.24	5	3	1.75	9.50
E500M2.2N02	2.2	0.45	44.5	9.5	2.80	2.24	5	3	1.75	9.50
E500M2.2N03	2.2	0.45	44.5	9.5	2.80	2.24	5	3	1.75	9.50
E500M2.3N01	2.3	0.45	44.5	9.5	2.80	2.24	5	3	1.85	9.50
E500M2.3N02	2.3	0.45	44.5	9.5	2.80	2.24	5	3	1.85	9.50
E500M2.3N03	2.3	0.45	44.5	9.5	2.80	2.24	5	3	1.85	9.50
E500M2.5N01	2.5	0.45	44.5	9.5	2.80	2.24	5	3	2.05	9.50
E500M2.5N02	2.5	0.45	44.5	9.5	2.80	2.24	5	3	2.05	9.50
E500M2.5N03	2.5	0.45	44.5	9.5	2.80	2.24	5	3	2.05	9.50
E500M2.5N06	2.5	0.45	44.5	9.5	2.80	2.24	5	3	2.05	9.50
E500M2.5N08	2.5	0.45	44.5	9.5	2.80	2.24	5	3	2.05	9.50
E500M2.6N01	2.6	0.45	44.5	9.5	2.80	2.24	5	3	2.15	9.50
E500M2.6N02	2.6	0.45	44.5	9.5	2.80	2.24	5	3	2.15	9.50
E500M2.6N03	2.6	0.45	44.5	9.5	2.80	2.24	5	3	2.15	9.50
E500M3N01	3	0.50	48.0	12.5	3.15	2.50	5	3	2.50	12.50
E500M3N02	3	0.50	48.0	12.5	3.15	2.50	5	3	2.50	12.50
E500M3N03	3	0.50	48.0	12.5	3.15	2.50	5	3	2.50	12.50
E500M3N06	3	0.50	48.0	12.5	3.15	2.50	5	3	2.50	12.50
E500M3N07	3	0.50	48.0	12.5	3.15	2.50	5	3	2.50	12.50
E500M3N08	3	0.50	48.0	12.5	3.15	2.50	5	3	2.50	12.50
E500M3X.6N01	3	0.60	48.0	12.5	3.15	2.50	5	3	2.40	12.50
E500M3X.6N02	3	0.60	48.0	12.5	3.15	2.50	5	3	2.40	12.50
E500M3X.6N03	3	0.60	48.0	12.5	3.15	2.50	5	3	2.40	12.50
E500M3.5N01	3.5	0.60	50.0	14	3.55	2.80	5	3	2.90	14.00
E500M3.5N02	3.5	0.60	50.0	14	3.55	2.80	5	3	2.90	14.00
E500M3.5N03	3.5	0.60	50.0	14	3.55	2.80	5	3	2.90	14.00
E500M3.5N06	3.5	0.60	50.0	14	3.55	2.80	5	3	2.90	14.00
E500M4N01	4	0.70	53.0	14	4.00	3.15	6	3	3.30	14.00
E500M4N02	4	0.70	53.0	14	4.00	3.15	6	3	3.30	14.00
E500M4N03	4	0.70	53.0	14	4.00	3.15	6	3	3.30	14.00
E500M4N06	4	0.70	53.0	14	4.00	3.15	6	3	3.30	14.00
E500M4N07	4	0.70	53.0	14	4.00	3.15	6	3	3.30	14.00
E500M4N08	4	0.70	53.0	14	4.00	3.15	6	3	3.30	14.00
E500M4X.75N01	4	0.75	53.0	14	4.00	3.15	6	3	3.25	14.00
E500M4X.75N02	4	0.75	53.0	14	4.00	3.15	6	3	3.25	14.00
E500M4X.75N03	4	0.75	53.0	14	4.00	3.15	6	3	3.25	14.00
E500M4.5N01	4.5	0.75	53.0	9.5	4.50	3.55	6	3	3.80	18.00
E500M4.5N02	4.5	0.75	53.0	9.5	4.50	3.55	6	3	3.80	18.00
E500M4.5N03	4.5	0.75	53.0	9.5	4.50	3.55	6	3	3.80	18.00
E500M4.5N06	4.5	0.75	53.0	9.5	4.50	3.55	6	3	3.80	18.00
E500M5N01	5	0.80	58.0	11	5.00	4.00	7	3	4.20	22.00
E500M5N02	5	0.80	58.0	11	5.00	4.00	7	3	4.20	22.00
E500M5N03	5	0.80	58.0	11	5.00	4.00	7	3	4.20	22.00
E500M5N06	5	0.80	58.0	11	5.00	4.00	7	3	4.20	22.00
E500M5N07	5	0.80	58.0	11	5.00	4.00	7	3	4.20	22.00
E500M5N08	5	0.80	58.0	11	5.00	4.00	7	3	4.20	22.00
E500M5X.9N01	5	0.90	58.0	11	5.00	4.00	7	3	4.10	22.00
E500M5X.9N02	5	0.90	58.0	11	5.00	4.00	7	3	4.10	22.00
E500M5X.9N03	5	0.90	58.0	11	5.00	4.00	7	3	4.10	22.00
E500M5.5X.9N01	5.5	0.90	62.0	12	5.60	4.50	7	3	4.60	21.00
E500M5.5X.9N02	5.5	0.90	62.0	12	5.60	4.50	7	3	4.60	21.00
E500M5.5X.9N03	5.5	0.90	62.0	12	5.60	4.50	7	3	4.60	21.00
E500M6N01	6	1.00	66.0	13	6.30	5.00	8	3	5.00	26.00
E500M6N02	6	1.00	66.0	13	6.30	5.00	8	3	5.00	26.00
E500M6N03	6	1.00	66.0	13	6.30	5.00	8	3	5.00	26.00
E500M6N06	6	1.00	66.0	13	6.30	5.00	8	3	5.00	26.00
E500M6N07	6	1.00	66.0	13	6.30	5.00	8	3	5.00	26.00
E500M6N08	6	1.00	66.0	13	6.30	5.00	8	3	5.00	26.00
E500M7N01	7	1.00	66.0	13	7.10	5.60	8	3	6.00	26.00
E500M7N02	7	1.00	66.0	13	7.10	5.60	8	3	6.00	26.00



Product	TDZ	TP	OAL	THL	DCON MS	WSC	LSC	NOF	PHD	LU
		[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		[mm]	[mm]
E500M7N03	7	1.00	66.0	13	7.10	5.60	8	3	6.00	26.00
E500M7N06	7	1.00	66.0	13	7.10	5.60	8	3	6.00	26.00
E500M8N01	8	1.25	72.0	16	8.00	6.30	9	3	6.80	29.00
E500M8N02	8	1.25	72.0	16	8.00	6.30	9	3	6.80	29.00
E500M8N03	8	1.25	72.0	16	8.00	6.30	9	3	6.80	29.00
E500M8N06	8	1.25	72.0	16	8.00	6.30	9	3	6.80	29.00
E500M8N07	8	1.25	72.0	16	8.00	6.30	9	3	6.80	29.00
E500M8N08	8	1.25	72.0	16	8.00	6.30	9	3	6.80	29.00
E500M9N01	9	1.25	72.0	16	9.00	7.10	10	3	7.80	29.00
E500M9N02	9	1.25	72.0	16	9.00	7.10	10	3	7.80	29.00
E500M9N03	9	1.25	72.0	16	9.00	7.10	10	3	7.80	29.00
E500M9N06	9	1.25	72.0	16	9.00	7.10	10	3	7.80	29.00
E500M10N01	10	1.50	80.0	18	10.00	8.00	11	3	8.50	34.00
E500M10N02	10	1.50	80.0	18	10.00	8.00	11	3	8.50	34.00
E500M10N03	10	1.50	80.0	18	10.00	8.00	11	3	8.50	34.00
E500M10N06	10	1.50	80.0	18	10.00	8.00	11	3	8.50	34.00
E500M10N07	10	1.50	80.0	18	10.00	8.00	11	3	8.50	34.00
E500M10N08	10	1.50	80.0	18	10.00	8.00	11	3	8.50	34.00
E500M11N01	11	1.50	85.0	19	8.00	6.30	9	3	9.50	-
E500M11N02	11	1.50	85.0	19	8.00	6.30	9	3	9.50	-
E500M11N03	11	1.50	85.0	19	8.00	6.30	9	3	9.50	-
E500M11N06	11	1.50	85.0	19	8.00	6.30	9	3	9.50	-
E500M12N01	12	1.75	89.0	22	9.00	7.10	10	3	10.30	-
E500M12N02	12	1.75	89.0	22	9.00	7.10	10	3	10.30	-
E500M12N03	12	1.75	89.0	22	9.00	7.10	10	3	10.30	-
E500M12N06	12	1.75	89.0	22	9.00	7.10	10	3	10.30	-
E500M12N07	12	1.75	89.0	22	9.00	7.10	10	3	10.30	-
E500M12N08	12	1.75	89.0	22	9.00	7.10	10	3	10.30	-
E500M14N01	14	2.00	95.0	24	11.20	9.00	12	4	12.00	-
E500M14N02	14	2.00	95.0	24	11.20	9.00	12	4	12.00	-
E500M14N03	14	2.00	95.0	24	11.20	9.00	12	4	12.00	-
E500M14N06	14	2.00	95.0	24	11.20	9.00	12	4	12.00	-
E500M14N07	14	2.00	95.0	24	11.20	9.00	12	4	12.00	-
E500M14N08	14	2.00	95.0	24	11.20	9.00	12	4	12.00	-
E500M16N01	16	2.00	102.0	24	12.50	10.00	13	4	14.00	-
E500M16N02	16	2.00	102.0	24	12.50	10.00	13	4	14.00	-
E500M16N03	16	2.00	102.0	24	12.50	10.00	13	4	14.00	-
E500M16N06	16	2.00	102.0	24	12.50	10.00	13	4	14.00	-
E500M16N07	16	2.00	102.0	24	12.50	10.00	13	4	14.00	-
E500M16N08	16	2.00	102.0	24	12.50	10.00	13	4	14.00	-
E500M18N01	18	2.50	112.0	29	14.00	11.20	14	4	15.50	-
E500M18N02	18	2.50	112.0	29	14.00	11.20	14	4	15.50	-
E500M18N03	18	2.50	112.0	29	14.00	11.20	14	4	15.50	-
E500M18N06	18	2.50	112.0	29	14.00	11.20	14	4	15.50	-
E500M20N01	20	2.50	112.0	29	14.00	11.20	14	4	17.50	-
E500M20N02	20	2.50	112.0	29	14.00	11.20	14	4	17.50	-
E500M20N03	20	2.50	112.0	29	14.00	11.20	14	4	17.50	-
E500M20N06	20	2.50	112.0	29	14.00	11.20	14	4	17.50	-
E500M20N07	20	2.50	112.0	29	14.00	11.20	14	4	17.50	-
E500M20N08	20	2.50	112.0	29	14.00	11.20	14	4	17.50	-
E500M22N01	22	2.50	118.0	29	16.00	12.50	16	4	19.50	-
E500M22N02	22	2.50	118.0	29	16.00	12.50	16	4	19.50	-
E500M22N03	22	2.50	118.0	29	16.00	12.50	16	4	19.50	-
E500M22N06	22	2.50	118.0	29	16.00	12.50	16	4	19.50	-
E500M24N01	24	3.00	130.0	35	18.00	14.00	18	4	21.00	-
E500M24N02	24	3.00	130.0	35	18.00	14.00	18	4	21.00	-
E500M24N03	24	3.00	130.0	35	18.00	14.00	18	4	21.00	-
E500M24N06	24	3.00	130.0	35	18.00	14.00	18	4	21.00	-
E500M24N07	24	3.00	130.0	35	18.00	14.00	18	4	21.00	-
E500M27N01	27	3.00	135.0	35	20.00	16.00	20	4	24.00	-
E500M27N02	27	3.00	135.0	35	20.00	16.00	20	4	24.00	-
E500M27N03	27	3.00	135.0	35	20.00	16.00	20	4	24.00	-



Product	TDZ	TP	OAL	THL	DCON MS	WSC	LSC	NOF	PHD	LU
		[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		[mm]	[mm]
E500M30N01	30	3.50	138.0	41	20.00	16.00	20	4	26.50	–
E500M30N02	30	3.50	138.0	41	20.00	16.00	20	4	26.50	–
E500M30N03	30	3.50	138.0	41	20.00	16.00	20	4	26.50	–
E500M33N01	33	3.50	151.0	41	22.40	18.00	22	4	29.50	–
E500M33N02	33	3.50	151.0	41	22.40	18.00	22	4	29.50	–
E500M33N03	33	3.50	151.0	41	22.40	18.00	22	4	29.50	–
E500M36N01	36	4.00	162.0	47	25.00	20.00	24	4	32.00	–
E500M36N02	36	4.00	162.0	47	25.00	20.00	24	4	32.00	–
E500M36N03	36	4.00	162.0	47	25.00	20.00	24	4	32.00	–
E500M39N01	39	4.00	170.0	47	28.00	22.40	26	4	35.00	–
E500M39N02	39	4.00	170.0	47	28.00	22.40	26	4	35.00	–
E500M39N03	39	4.00	170.0	47	28.00	22.40	26	4	35.00	–
E500M42N01	42	4.50	170.0	53	28.00	22.40	26	6	37.50	–
E500M42N02	42	4.50	170.0	53	28.00	22.40	26	6	37.50	–
E500M42N03	42	4.50	170.0	53	28.00	22.40	26	6	37.50	–
E500M45N01	45	4.50	187.0	54	31.50	25.00	28	6	40.50	–
E500M45N02	45	4.50	187.0	54	31.50	25.00	28	6	40.50	–
E500M45N03	45	4.50	187.0	54	31.50	25.00	28	6	40.50	–
E500M48N01	48	5.00	187.0	60	31.50	25.00	28	6	43.00	–
E500M48N02	48	5.00	187.0	60	31.50	25.00	28	6	43.00	–
E500M48N03	48	5.00	187.0	60	31.50	25.00	28	6	43.00	–
E500M52N03	52	5.00	200.0	60	35.50	28.00	31	6	47.00	–
E500M56N03	56	5.50	200.0	60	35.50	28.00	31	6	50.50	–

¹⁾ Supplied in 5H tolerance.