


CoroTurn® 107 insert for turning

T-style insert (Triangular)



			LE	S	RE	BS	ISO CODE	P					M				K		N		S										
								1525	4305	4315	4325	4335	5015	1115	1125	2015	2025	2035	2220	3210	3225	4325	H13A	1125		H10	H13A	1105	1115	1125	H10
Finishing	WF	09	9.2	2.38	0.20	0.4	TCMX 09 02 02-WF							*	*					*	*	*		*			*				
		9.0	2.38	0.40	0.6	TCMX 09 02 04-WF	*	*	*		*	*				*	*	*		*	*	*		*			*				
		8.6	2.38	0.79	0.6	TCMX 09 02 08-WF						*	*			*	*	*					*			*					
		11	10.5	3.18	0.20	0.4	TCMX 11 03 02-WF					*	*		*	*			*	*	*		*			*					
		10.3	3.18	0.40	0.6	TCMX 11 03 04-WF	*	*	*	*	*	*			*	*	*	*	*	*			*	*	*	*	*				
		9.9	3.18	0.79	0.7	TCMX 11 03 08-WF	*	*	*	*	*	*			*	*	*	*	*	*			*	*	*	*	*				
		16	16.1	3.97	0.40	0.6	TCMX 16 T3 04-WF					*	*			*	*	*	*	*	*		*			*					
		15.7	3.97	0.79	0.5	TCMX 16 T3 08-WF	*	*	*	*	*	*		*	*	*	*	*	*	*	*		*			*	*				
	PF	06	6.4	1.98	0.20		TCMT 06 T1 02-PF			*	*	*							*	*	*		*			*					
		6.2	1.98	0.40		TCMT 06 T1 04-PF			*	*	*	*							*	*	*		*			*					
		5.8	1.98	0.79		TCMT 06 T1 08-PF			*	*	*	*							*	*	*		*			*					
		09	9.2	2.38	0.20		TCMT 09 02 02-PF			*	*	*	*						*	*	*		*			*					
		9.0	2.38	0.40		TCMT 09 02 04-PF			*	*	*	*							*	*	*		*			*					
		11	10.5	3.18	0.20		TCMT 11 03 02-PF			*	*	*	*						*	*	*		*			*					
		10.3	3.18	0.40		TCMT 11 03 04-PF			*	*	*	*							*	*	*		*			*					
		9.9	3.18	0.79		TCMT 11 03 08-PF			*	*	*	*							*	*	*		*			*					
	16	16.1	3.97	0.40		TCMT 16 T3 04-PF			*	*	*	*						*	*	*		*			*						
	KF	06	6.4	1.98	0.20		TCMT 06 T1 02-KF									*	*	*	*	*	*		*			*					
		6.2	1.98	0.40		TCMT 06 T1 04-KF										*	*	*	*	*	*		*			*					
		5.8	1.98	0.79		TCMT 06 T1 08-KF										*	*	*	*	*	*		*			*					
		09	9.2	2.38	0.20		TCMT 09 02 02-KF									*	*	*	*	*	*		*			*					
		9.0	2.38	0.40		TCMT 09 02 04-KF										*	*	*	*	*	*		*			*					
		11	10.5	3.18	0.20		TCMT 11 03 02-KF									*	*	*	*	*	*		*			*					
		10.3	3.18	0.40		TCMT 11 03 04-KF										*	*	*	*	*	*		*			*					
		9.9	3.18	0.79		TCMT 11 03 08-KF										*	*	*	*	*	*		*			*					
	16	16.1	3.97	0.40		TCMT 16 T3 04-KF												*	*	*		*			*						
	MF	06	6.4	1.98	0.20		TCMT 06 T1 02-MF						*	*	*								*	*	*	*	*	*			
		6.2	1.98	0.40		TCMT 06 T1 04-MF						*	*	*	*								*	*	*	*	*	*			
		5.8	1.98	0.79		TCMT 06 T1 08-MF						*	*	*	*								*	*	*	*	*	*			
		09	9.2	2.38	0.20		TCMT 09 02 02-MF						*	*	*	*							*	*	*	*	*	*			
		9.0	2.38	0.40		TCMT 09 02 04-MF						*	*	*	*	*		*	*	*	*	*	*	*	*	*	*	*			
		11	10.5	3.18	0.20		TCMT 11 03 02-MF						*	*	*	*							*	*	*	*	*	*			
		10.3	3.18	0.40		TCMT 11 03 04-MF						*	*	*	*	*						*	*	*	*	*	*	*			
		9.9	3.18	0.79		TCMT 11 03 08-MF						*	*	*	*	*						*	*	*	*	*	*	*			
	16	16.1	3.97	0.40		TCMT 16 T3 04-MF					*	*	*	*	*	*		*	*	*	*	*	*	*	*	*	*				
	F	05	5.6	1.40	0.02		TCEX 05 01 00L-F						*	*						*	*	*		*			*				
		5.6	1.40	0.02		TCEX 05 01 00R-F						*	*							*	*	*		*			*				
		5.5	1.40	0.10		TCEX 05 01 01L-F						*	*							*	*	*		*			*				
		5.5	1.40	0.10		TCEX 05 01 01R-F						*	*							*	*	*		*			*				
		06	6.6	1.98	0.02		TCEX 06 T1 00L-F						*	*						*	*	*		*			*				
		6.6	1.98	0.02		TCEX 06 T1 00R-F						*	*							*	*	*		*			*				
		6.5	1.98	0.10		TCEX 06 T1 01L-F						*	*							*	*	*		*			*				
		6.5	1.98	0.10		TCEX 06 T1 01R-F						*	*							*	*	*		*			*				
		6.4	1.98	0.20	0.5	TCEX 06 T1 02L-F						*	*							*	*	*		*			*				
		09	9.4	2.38	0.02		TCEX 09 02 00L-F					*	*							*	*	*		*			*				
		9.4	2.38	0.02		TCEX 09 02 00R-F					*	*								*	*	*		*			*				
		9.3	2.38	0.10		TCEX 09 02 01L-F					*	*								*	*	*		*			*				
	9.3	2.38	0.10		TCEX 09 02 01R-F					*	*								*	*	*		*			*					
9.2	2.38	0.20	0.5	TCEX 09 02 02L-F					*	*								*	*	*		*			*						
11	10.7	3.18	0.02		TCEX 11 03 00L-F					*	*							*	*	*		*			*						
10.7	3.18	0.02		TCEX 11 03 00R-F					*	*								*	*	*		*			*						
10.6	3.18	0.10		TCEX 11 03 01L-F					*	*								*	*	*		*			*						
10.6	3.18	0.10		TCEX 11 03 01R-F					*	*								*	*	*		*			*						
10.5	3.18	0.20	0.5	TCEX 11 03 02L-F					*	*								*	*	*		*			*						



A58



A88



A278



A294



H36




H6

CoroTurn® 107 insert for turning

T-style insert (Triangular)

ENG



			LE	S	RE	BS	ISO CODE	P					M					K		N		S									
								1925	4305	4315	4325	4335	5015	1115	1125	2015	2025	2035	2220	3210	3225	4325	H13A	1125	H10	H13A	1105	1115	1125	H10	
Finishing	K	06	6.4	1.98	0.20		TCGT 06 T1 02L-K								★	☆						☆				★	☆				
			6.4	1.98	0.20		TCGT 06 T1 02R-K								★	☆						☆				★	☆				
			6.2	1.98	0.40		TCGT 06 T1 04L-K								★	☆						☆				★	☆				
			6.2	1.98	0.40		TCGT 06 T1 04R-K									★	☆						☆				★	☆			
		09	9.2	2.38	0.20		TCGT 09 02 02L-K	★						☆	★	☆							☆				★	☆			
			9.2	2.38	0.20		TCGT 09 02 02R-K								☆	★	☆						☆				★	☆			
			9.0	2.38	0.40		TCGT 09 02 04L-K	★						☆	★	☆							☆				★	☆			
			9.0	2.38	0.40		TCGT 09 02 04R-K								☆	★	☆						☆				★	☆			
		11	10.5	2.38	0.20		TCGT 11 02 02L-K	★						☆	★	☆							☆				★	☆			
			10.5	2.38	0.20		TCGT 11 02 02R-K								★	★							☆					★			
			10.3	2.38	0.40		TCGT 11 02 04L-K	★						☆	★	☆							☆					★	★		
			10.3	2.38	0.40		TCGT 11 02 04R-K								★	★							☆					★	★		
		10.5	3.18	0.20		TCGT 11 03 02L-K							★	☆								☆				★	☆				
		10.5	3.18	0.20		TCGT 11 03 02R-K								☆	☆							☆					☆	☆			
		10.3	3.18	0.40		TCGT 11 03 04L-K							★	☆								☆				★	☆				
		10.3	3.18	0.40		TCGT 11 03 04R-K								☆	☆							☆					☆	☆			
	WK	06	6.2	1.98	0.40	0.5	TCGX 06 T1 04L-WK							★	☆							☆					★	☆			
			6.2	1.98	0.40	0.5	TCGX 06 T1 04R-WK								☆	☆							☆					☆			
		09	9.0	2.38	0.40	0.5	TCGX 09 02 04L-WK							★	★	☆						☆					★	★			
			9.0	2.38	0.40	0.5	TCGX 09 02 04R-WK								★	★	☆						☆					☆			
		11	10.3	2.38	0.40	0.5	TCGX 11 02 04L-WK							★	★	☆							☆					★			
			10.3	2.38	0.40	0.5	TCGX 11 02 04R-WK								★	★	☆						☆					★	★		
			10.3	3.18	0.40	0.5	TCGX 11 03 04L-WK							★	★	☆							☆				★	★			
		10.3	3.18	0.40	0.5	TCGX 11 03 04R-WK								★	★	☆						☆					☆				
	UF	06	6.4	1.98	0.20		TCMT 06 T1 02-UF							★	☆																
			6.2	1.98	0.40		TCMT 06 T1 04-UF							★	☆							☆									
		09	9.0	2.38	0.40		TCMT 09 02 04-UF							★	☆							☆									
			8.6	2.38	0.79		TCMT 09 02 08-UF								★																
		11	10.5	2.38	0.20		TCMT 11 02 02-UF							★	★	☆						☆	★	☆	★			★			
			10.3	2.38	0.40		TCMT 11 02 04-UF							★	★	☆	★					☆	★	☆	★			★			
		9.9	2.38	0.79		TCMT 11 02 08-UF							★	★	☆	★					☆	★	☆	★			★				
16	15.7	3.97	0.79		TCMT 16 T3 08-UF															☆											
Medium	WM	11	9.9	3.18	0.79	0.7	TCMX 11 03 08-WM															★	☆	☆							
		16	15.7	3.97	0.79	0.7	TCMX 16 T3 08-WM	☆	☆	☆	★											★	☆	☆							
	PM	09	9.0	2.38	0.40		TCMT 09 02 04-PM	☆	☆	★	★	☆	☆									★									
			8.6	2.38	0.79		TCMT 09 02 08-PM	☆	☆	★	★	☆	☆									★									
		11	10.3	3.18	0.40		TCMT 11 03 04-PM	☆	☆	★	★	☆	☆									★									
			9.9	3.18	0.79		TCMT 11 03 08-PM	☆	☆	★	★	☆	☆									★									
			9.5	3.18	1.19		TCMT 11 03 12-PM																★								
		16	16.1	3.97	0.40		TCMT 16 T3 04-PM	☆	☆	★	★	☆	☆									★									
			15.7	3.97	0.79		TCMT 16 T3 08-PM	☆	☆	★	★	☆	☆									★									
		15.3	3.97	1.19		TCMT 16 T3 12-PM																★									
	22	21.2	4.76	0.79		TCMT 22 04 08-PM							★	★	☆						★										
	MM	09	9.0	2.38	0.40		TCMT 09 02 04-MM							☆	☆	★	☆	☆									★	☆	☆		
			8.6	2.38	0.79		TCMT 09 02 08-MM							☆	☆	★	☆	☆									★	☆	☆		
		11	10.3	3.18	0.40		TCMT 11 03 04-MM							☆	☆	★	☆	☆									★	☆	☆		
			9.9	3.18	0.79		TCMT 11 03 08-MM							☆	☆	★	☆	☆									★	☆	☆		
		16	16.1	3.97	0.40		TCMT 16 T3 04-MM							☆	☆	★	☆	☆									★	☆	☆		
			15.7	3.97	0.79		TCMT 16 T3 08-MM							☆	☆	★	☆	☆									★	☆	☆		
			15.3	3.97	1.19		TCMT 16 T3 12-MM							☆	★	★	☆	☆									★				
	22	21.2	4.76	0.79		TCMT 22 04 08-MM									★																
	KM	09	9.0	2.38	0.40		TCMT 09 02 04-KM															★	☆	☆			★				
		8.6	2.38	0.79		TCMT 09 02 08-KM																★	☆	☆			★				
11		10.3	3.18	0.40		TCMT 11 03 04-KM																★	☆	☆			★				
		9.9	3.18	0.79		TCMT 11 03 08-KM																	★	☆	☆			★			
		9.5	3.18	1.19		TCMT 11 03 12-KM																	★	☆	☆			★			
16		16.1	3.97	0.40		TCMT 16 T3 04-KM																★	☆	☆			★				
		15.7	3.97	0.79		TCMT 16 T3 08-KM																★	☆	☆			★				
		15.3	3.97	1.19		TCMT 16 T3 12-KM																	★	☆	☆			★			
22		21.2	4.76	0.79		TCMT 22 04 08-KM																★	☆	☆			★				



A58



A88



A278



A294




H36



H6

CoroTurn® 107 insert for turning

T-style insert (Triangular)



							ISO CODE	P					M				K		N		S									
			LE	S	RE	BS		1525	4305	4315	4325	4335	5015	1115	1125	2015	2025	2035	2220	3210	3225	4325	H13A	1125		H10	H13A	1105	1115	1125
Medium	UM	09	9.0	2.38	0.40	TCGT 09 02 04-UM						*																		
		11	10.6	2.38	0.10	TCGT 11 02 01-UM						*	*									*	*	*	*		*			
		10.5	2.38	0.20	TCGT 11 02 02-UM						*	*	*									*	*	*	*		*			
		10.3	2.38	0.40	TCGT 11 02 04-UM						*	*	*									*	*	*	*		*			
		9.9	2.38	0.79	TCGT 11 02 08-UM						*	*	*		*							*	*	*	*		*			
		10.6	3.18	0.10	TCGT 11 03 01-UM						*	*	*				*					*	*	*	*		*			
		10.5	3.18	0.20	TCGT 11 03 02-UM						*	*	*	*								*	*	*	*		*			
		10.3	3.18	0.40	TCGT 11 03 04-UM						*	*	*	*								*	*	*	*		*			
		9.9	3.18	0.79	TCGT 11 03 08-UM						*	*	*	*	*							*	*	*	*		*			
		16	16.1	3.97	0.40	TCGT 16 T3 04-UM						*													*					
		15.7	3.97	0.79	TCGT 16 T3 08-UM																				*					
	AL	06	6.2	1.98	0.40	TCGX 06 T1 04-AL																	*					*		
		09	9.2	2.38	0.20	TCGX 09 02 02-AL																	*					*		
		9.0	2.38	0.40	TCGX 09 02 04-AL																		*					*		
		11	10.5	2.38	0.20	TCGX 11 02 02-AL																	*					*		
		10.3	2.38	0.40	TCGX 11 02 04-AL																		*					*		
		9.9	2.38	0.79	TCGX 11 02 08-AL																		*					*		
		10.5	3.18	0.20	TCGX 11 03 02-AL																		*					*		
		10.3	3.18	0.40	TCGX 11 03 04-AL																		*					*		
		9.9	3.18	0.79	TCGX 11 03 08-AL																		*					*		
		16	16.1	3.97	0.40	TCGX 16 T3 04-AL																	*					*		
		15.7	3.97	0.79	TCGX 16 T3 08-AL																		*					*		
	Roughing	UM	09	9.0	2.38	0.40	TCMT 09 02 04-UM	*	*	*	*	*	*	*							*	*	*	*			*	*		
			8.6	2.38	0.79	TCMT 09 02 08-UM	*	*	*	*	*	*	*	*							*	*	*	*			*	*		
			11	10.3	2.38	0.40	TCMT 11 02 04-UM	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
			9.9	2.38	0.79	TCMT 11 02 08-UM	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
			16	16.1	3.97	0.40	TCMT 16 T3 04-UM			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
			15.7	3.97	0.79	TCMT 16 T3 08-UM			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
PR		11	9.9	3.18	0.79	TCMT 11 03 08-PR	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
		9.5	3.18	1.19	TCMT 11 03 12-PR			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
		16	15.7	3.97	0.79	TCMT 16 T3 08-PR			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
		15.3	3.97	1.19	TCMT 16 T3 12-PR			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
		22	21.2	4.76	0.79	TCMT 22 04 08-PR			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
		20.8	4.76	1.19	TCMT 22 04 12-PR			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
KR		11	9.9	3.18	0.79	TCMT 11 03 08-KR													*	*	*	*								
		9.5	3.18	1.19	TCMT 11 03 12-KR														*	*	*	*								
		16	15.7	3.97	0.79	TCMT 16 T3 08-KR													*	*	*	*	*	*	*	*	*	*	*	
		15.3	3.97	1.19	TCMT 16 T3 12-KR														*	*	*	*	*	*	*	*	*	*	*	
	22	21.2	4.76	0.79	TCMT 22 04 08-KR													*	*	*	*	*	*	*	*	*	*	*		
	20.8	4.76	1.19	TCMT 22 04 12-KR														*	*	*	*	*	*	*	*	*	*	*		
	11	9.9	3.18	0.79	TCMT 11 03 08-MR								*	*	*	*														
	16	15.7	3.97	0.79	TCMT 16 T3 08-MR							*	*	*	*	*						*								
UR	11	10.3	2.38	0.40	TCMT 11 02 04-UR		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	9.9	2.38	0.79	TCMT 11 02 08-UR	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	16	16.1	3.97	0.40	TCMT 16 T3 04-UR		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	15.7	3.97	0.79	TCMT 16 T3 08-UR		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	15.3	3.97	1.19	TCMT 16 T3 12-UR			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		

C

D

E

F

G

H



A58



A88



A278



A294



H36



H6